

New Products Update





HVD1844IMP

Comfortable 18 gauge, ANSI Cut 4 liner with TPR on fingers and back of the palm.

Reinforced Thumb Crotch

ANSI Abrasion Level 4 & ANSI Puncture Level 4

ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection





HVG182IMP

Nap-In corded double palm

High-Vis back and palm

ANSI Cut A2 , ANSI/ISEA Impact Level 1 TPR protection

One size fits most

ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection



HV4IMP

Quality 13 gauge Impact glove with low profile TPR protection Black Nitrile palm for dexterity, gripping and oil handling Nitrile reinforced thumb saddle ANSI 138 Level 1 - Impact ANSI Cut A4

ANSI 4 Puncture

EN388:2016 4X43DP

HVD1884IMP2

Flexible dotted nitrile palm coating provides superior grip and abrasion resistance

ANSI Abrasion Level 4 & ANSI Cut Level 8 & ANSI Puncture Level 4

ANSI 138 Level 2- Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection



GBN5

High dexterity 13 gauge Impact glove

Black sandy nitrile palm, foam padded with reinforced thumb crotch

ANSI Cut A5

ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection



CR8465DP Aramid/HPPE liner ANSI Cut A4 Double palm EN388 3341F

Heat rated level 1 ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection



4064IMP

Full grain leather driver with keystone thumb and color coded hem

ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection



HGLP5

Superior goatskin impact glove with TPR fingers and back of the hand

360 cut protection with Aramid liner, Velcro wrist

ANSI Cut A5

ANSI 138 Level 1 - Knuckle Impact Protection

ANSI 138 Level 2 - Finger and Thumb Impact Protection



CR773K-IMP

Premier goatskin cut resistant welding glove with full Kevlar lining and thread

ANSI Cut A6

ANSI 138 – Level 1 Knuckle Impact Protection

ANSI 138 Level 2 – Finger and Thumb Impact Protection



A6PVCIMP2

100% PVC coating over full cotton lining

Cut, abrasion, puncture and heat resistant (Contact Heat tested for level 1)

ANSI 138 Level 2- Knuckle Impact Protection

ANSI 138 Level 2– Finger and Thumb Impact Protection

ANSI Cut A1



CR73YB

Premium Goatskin Impact glove with TPR fingers and back of the hand.

ANSI Cut A7

ANSI 138 Level 3 – Knuckle Impact Protection

ANSI 138 Level 3 - Finger and Thumb Impact Protection



CR772K

Sewn with Kevlar[®] thread for strength and heat resistance

Full Kevlar lining inside

ANSI Cut A6

A grade goat leather back and palm Cowhide split cuff Wing thumb



CR8465HV

HPPE liner rated ANSI Cut A5 Reinforced between thumb and first finger Sizing up to 3XL Wing thumb Hi Vis orange finger tips

"Watch Your Hands" logo on back of hand



9-BL134

13 Gauge blue fully coated microfoam latex coating

ANSI Cut A4 terry liner

Water resistant to keep hands warm and dry



9-ORL134

13 Gauge orange fully coated microfoam latex coating

ANSI Cut A4 terry liner

Water resistant to keep hands warm and dry



9-5465C100

Premium Deerskin Driver Glove with 100 grams of 3M Thinsulate Leather hem, goes up to 2XL



9-NE407G

High Visibility Acrylic Liner with latex dipped palm

EN511: X2X

EN388: 2231B





ARC134

4 levels of protection: Cut level A4, Arc Flash resistant, flame resistant and contact heat resistant

Anti-static, tough-screen design with high dexterity

ATPV rating= 10,3 cal/cm2 as per ASTM F2675 / F2675M : 2019

EN407: 2004 Heat Protection tests

DLX134

Advanced foam sandy latex palm

Fully coated latex glove

ANSI cut level A4, Abrasion 3, Tear 4, Puncture 2



DY14 Smooth finish style Yellow PVC Fully coated Interlock lining dries quickly and sheds little lint



DB84-12

100% PVC coating over full cotton lining

Cut, abrasion, puncture and heat resistant (Contact Heat tested for level 1)

ANSI Cut A1





GNF812

Green nitrile glove with interlock lining

Sandy nitrile exterior

Designed to prevent oil penetration

Odor suppression minimizes generation of odor

ATV102

Polyester String Knit Rubber Latex Anti-Vibration Padded Palm 10 Gauge ANSI CUT A2



GMB-T15454

Ultra thin and high dexterity 15 gauge ANSI Cut 5 liner with black PU coating

Filament fiber knitted liner, lint-free surface

Free from steel fiber and fiberglass

Touch screen compatible



SBN718

18 Gauge High Performance ANSI Cut 8 liner with a black sandy foam nitrile coated palm

Ergonomic liner design enhances comfort and reduces hand fatigue

Liner offers breathability, softness and ultimate second skin tactility

Free from steel fiber and fiberglass

Reinforced thumb crotch

Touch screen compatible



NMFD1864

Flexible dotted nitrile palm coating provides superior grip and abrasion resistance

Reinforced thumb crotch

360 cut protection

Comfortable and high dexterity 18 gauge liner

NSI Puncture 4

ANSI Abrasion 4

ANSI CUT 6



SBNCR913 13 gauge liner ANSI cut level A9 Abrasion 5 Tear 4 Puncture 3



NFG13

Comfortable to wear with breathable liner Excellent dexterity Oil resistant palm coating Color coded hems for easy size identification

Anti-static/electrostatic compliant for use in an ESD protected area



HV133

Excellent dexterity Oil resistant palm coating Color coded hems for easy size identification Hi-Viz Yellow ANSI Abrasion 3 ANSI Cut A3 ANSI Puncture 3



LX15R

Comfortable 15 gauge red nylon shell with black latex coating Abrasion level 3 (EN388) Tear level 3 (EN388)



SPG-T133

High dexterity and comfortable 13 gauge ANSI Cut 3 liner with gray PU coating

Touch screen compatible



NMF5075

Comfortable to wear, with breathable liner Excellent dexterity Oil resistant palm coating Color coded hems for easy size identification Full dip





CGLITE

Comfortable to wear, with breathable coating Touchscreen fingertips Extremely light weight Excellent dexterity ANSI Cut A4 18 Gauge liner



SBNCR6

HPPE/Basalt/Steel liner EN388 cut level F protection Black nitrile sandy foam palm EN ISO 13997:1999 Level F ANSI Cut A6 ANSI Puncture A4 13 gauge liner Comfortable fit PVC dots on both sides of palm Ambidextrous design Dipped finger tips 13 gauge Seamless knit construction Color coded hems ANSI Cut A6 EN388: 4X43E

C6DD



SPARTTC

Comfortable to wear, with breathable coating Excellent dexterity Leather thumb crotch Kevlar thread ANSI Cut A4 13 gauge liner



V905MPF

5.5 Mil FDA medical examination grade nitrile Protection against Fentanyl Chemo rated



V9080NPF

8 Mil Powder free industrial grade nitrile Raised diamond texture surface



V900MPF

3.5 Mil FDA medical examination grade nitrile

Textured surface with prominent texture on fingertips



SHCVRPP6

Polypropylene Shoe Cover

32 gram weight, Elastic closure, Non-latex, Non-Skid Tread



SLVPP18

Polypropylene Arm Sleeves

26 gram weight, Elastic closure, Non-latex



SV88SE

Hi Vis yellow mesh front and back, zipper front Left pencil chest pocket , two waist flapped pockets Mic Tab 2 inch silver reflective stripes with orange trim ANSI/ISEA 107-2015 Type R NFPA701 & ASTM6413 Flame resistant treated/self-extinguishing



SV-C2LBBF Hi Vis yellow mesh front and back Black bottom Zipper front One outside chest pocket 2 inch silver reflective stripes ANSI/ISEA 107-2015 Type R



SV21FR-LZ

Hi Vis yellow mesh front and back, zipper front Left pencil chest pocket , two waist flapped pockets 2 inch silver reflective stripes with orange trim ANSI/ISEA 107-2015 Type R NFPA 2112, ASTM F 1506

NFPA 70E ARC 1—ATPV= 4.6cal/cm2

SV5PBAW

Hi Vis yellow mesh front and back Double reflective tape Two inside pockets 2 inch silver reflective stripes Velcro break away for easy removal ANSI/ISEA 107-2015 Type R